
HYDROGRAPHIC DATA FROM THE OPTOMA (OCEAN PREDICTION THROUGH OBSERVATIONS. (U) NAVAL POSTGRADUATE SCHOOL MONTEREY CA P A WITTMANN ET AL. NAR 85 NPS-68-85-012 F/G 8/10 AD-A154 865 1/2 UNCLASSIFIED NL



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

NPS-68-85-012

# NAVAL POSTGRADUATE SCHOOL Monterey, California



HYDROGRAPHIC DATA FROM THE OPTOMA PROGRAM OPTOMA12 8 - 18 October 1984 OPTOMA13 22 October - 3 November 1984 OPTOMA14 3 - 14 November 1984 OPTOMA13P 27 October 1984

by

Paul A. Wittmann Edward A. Kelley, Jr. Christopher N.K. Mooers

March 1985

Approved for public release; distribution unlimited.

Prepared for: Office of Naval Research Environmental Sciences Directorate (Code 420) Arlington, VA 22217

#### NAVAL POSTGRADUATE SCHOOL

## Monterey, California 93943

Commodore R.H. Shumaker Superintendent

David A. Schrady Provost

This report is for the research project "Ocean Prediction Through Observations, Modeling and Analysis" sponsored by the Physical Oceanography Program of the Office of Naval Research under Program Element 61153N. Reproduction of all or part of this report is authorized.

This report was Prepared by:

PAUL A. WITTMANN Oceanographer

CHRISTOPHER N. W. MODERS Professor and Chairman, Department of Oceanogrpahy EDWARD A. KELLEY, JR. Adjunct Prof., Oceanography

Released by:

Reviewed by:

Chri . topher N.K. Mooers, Chairman

Department of Oceanography

Dean of Science and Engineering

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered

$\Lambda \cap \Lambda / r = 1$	BEFORE COMPLETING FORM
	O. 3. RECIPIENT'S CATALOG NUMBER
71-711071-9	865
TITLE (and Subtitio) HYDROGRAPHIC DATA FROM THE OPTOMA PROGRAM	5. TYPE OF REPORT & PERIOD COVERED REPORT FOR OCTOBER 1982
OPTOMA12, OPTOMA13, OPTOMA14 AND OPTOMA13P.	TO MARCH 1985
of fourier, of fourier, of fourier	6. PERFORMING ORG. REPORT NUMBER
AUTHOR(e)	S. CONTRACT OR GRANT NUMBER(s)
PAUL A. WITTMANN, EDWARD A. KELLEY, JR	
CHRISTOPHER N.K. MOOERS	
	10 BROGRAM EL EMENT PROJECT TASK
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
NAVAL POSTGRADUATE SCHOOL MONTEREY, CA 93943	61153N
MONTEREI, CA 93943	NO001484NR24501
CONTROLLING OFFICE NAME AND ADDRESS	12. MEPORT DATE
OFFICE OF NAVAL RESEARCH (CODE 420)	MARCH 1985
ARLINGTON, VA 22217	13. NUMBER OF PAGES
MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	106 15. SECURITY CLASS. (of this report)
. MONITORING AGENCY NAME & ADDRESS(II dillotont from Controlling Diffice)	15. SECURITY CEASS. (OF THIS PEPOPI)
	UNCLASSIFIED
	15a. DECLASSIFICATION/DOWNGRADING
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLI	IMITED.
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLI	from Report) Accession For
	from Report) Accession For    NTY   CRA&I   I   TAB   D     Connounced   D
. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different i	from Report) Accession For
. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different i	from Report) Accession For    UTY   GRA&I
. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different i	from Report) Accession For    NTY   GRA&I
. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different i	Accession For    ITTLE CRA&I   ITTLE TAB
DISTRIBUTION STATEMENT (of the ebetrect entered in Block 20, if different in Supplementary Notes	Accession For    ITY   CRA&I
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different in Supplementary notes  KEY WORDS (Continue on reverse side if necessary and identify by block number CALIFORNIA CURRENT SYSTEM PHYSICAL OCEANOGRAPHY	Accession For    ITTLE CRA&I   ITTLE TAB
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different in Supplementary notes  Supplementary notes  KEY WORDS (Continue on reverse side if necessary and identify by block number CALIFORNIA CURRENT SYSTEM	Accession For    ITY   CRA&I
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different in Supplementary notes  KEY WORDS (Continue on reverse side if necessary and identify by block number CALIFORNIA CURRENT SYSTEM PHYSICAL OCEANOGRAPHY	Accession For    ITY   CRA&I
DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if different in Supplementary notes  KEY WORDS (Continue on reverse side if necessary and identify by block number CALIFORNIA CURRENT SYSTEM PHYSICAL OCEANOGRAPHY DYNAMIC OCEANOGRAPHY	Avail saving  Accession For  ETY: CRA&I  ITY: TAB  Usamounced  Justification  By  Distribution/  Availability Codes  Avail saving
DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different in Supplementary notes  KEY WORDS (Continue on reverse eide if necessary and identify by block number CALIFORNIA CURRENT SYSTEM PHYSICAL OCEANOGRAPHY DYNAMIC OCEANOGRAPHY  ABSTRACT (Continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on re	Avail Saving  Accession For  ACCESSI
DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different in the supplementary notes  KEY WORDS (Continue on reverse side if necessary and identify by block number CALIFORNIA CURRENT SYSTEM PHYSICAL OCEANOGRAPHY DYNAMIC OCEANOGRAPHY  ABSTRACT (Continue on reverse side if necessary and identify by block number the three cruises, OPTOMA12, OPTOMA13, and O	Accession For    ITTLE CRA&I   ITTLE TAB
DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different in Supplementary notes  KEY WORDS (Continue on reverse eide if necessary and identify by block number CALIFORNIA CURRENT SYSTEM PHYSICAL OCEANOGRAPHY DYNAMIC OCEANOGRAPHY  ABSTRACT (Continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on reverse eide if necessary and identify by block number to the continue on re	Availability Codes  Availability Codes  Availability Codes  PTOMA14, and one AXBT flight, ember, 1984. This report

DD 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

5/N 0102- LF- 014- 6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

## Hydrographic Data from the OPTOMA Program:

OPTOMA12 8 - 18 October, 1984
OPTOMA13 22 October - 3 November, 1984
OPTOMA13P 27 October, 1984
OPTOMA14 3 - 14 November, 1984

by

Paul A. Wittmann
Edward A. Kelley, Jr.
Christopher N. K. Mooers

**Chief Scientists:** 

C. N. K. Mooers, E. A. Kelley, Jr. A. A. Bird, M. C. Colton

The **OPTOMA** Program is a joint program of

Department of Oceanography Naval Postgraduate School Monterey, CA 93943. Center for Earth and Planetary Physics Harvard University Cambridge, MA 02138.

## TABLE OF CONTENTS

	PAGE
LIST OF TABLES	ff
LIST OF FIGURES	fii
INTRODUCTION	2
DATA ACQUISITION	3
DATA PROCESSING	3
DATA PRESENTATION	4
SECTION 1: OPTOMA12	7
SECTION 2: OPTOMA13	31
SECTION 3: OPTOMA14	61
SECTION 4: OPTOMA13P	89
ACKNOWLEDGEMENTS	102
REFERENCE	102
TNITIAL DISTRIBUTION LIST	102

## LIST OF TABLES

Table No.	Caption	<u>Page</u>	
1.	Scientific instruments aboard R/V ACANIA	6	
2.	OPTOMA12 Station Listing	11	
3.	OPTOMA13 Station Listing	35	
4.	OPTOMA14 Station Listing	65	
5.	OPTOMA13P Station Listing	93	



Figure N	lo.	Caption	Page
1.		The NOCAL, CENCAL, and WABC subdomains of the OPTOMA Program. Isobaths are shown in meters.	1
2.		The cruise track for OPTOMA12.	8
3.		XBT and CTD locations for OPTOMA12.	9
4.		Station numbers for OPTOMA12.	10
5 (	(a)-(e).	XBT temperature profiles, staggered by multiples of 5C (OPTOMA12).	14
6		CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt (OPTOMA12).	19
7.		CTD casts deeper than 500m (OPTOMA12).	20
8 (	a)-(j).	Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA12).	21
9.		Mean temperature profiles from (a) XBT's and (b) CTD's, with + and - the standard deviation. (OPTOMA12).	27
10.		Mean profiles of (a) salinity and (b) sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA12).	28
11.		(a) T-S pairs and (b) mean T-S relation, with + and - the standard deviation, from the CTD's. Selected sigma-t contours are also shown. (OPTOMA12).	29
12.		Mean $N^2$ profile $()$ , with $+$ and $-$ the standard deviation $()$ . The $N^2$ profile from $\overline{T(z)}$ and $\overline{S(z)}$ is also shown $(\cdots)$ . (OPTOMA12).	30
13.		The cruise track for OPTOMA13. The first excursion of the track is shown as a solid line, the second excursion as a broken line.	32

Figure	No.	Caption	Page
14.		XBT and CTD locations for OPTOMA13.	33
15.		Station numbers for OPTOMA13.	34
16	(a)-(f).	XBT temperature profiles, staggered by anultiples of 5C (OPTOMA13).	39
17	(a)-(b).	CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt (OPTOMA13).	45
18	(a)-(s).	Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA13).	47
19		Isopleths of (1) temperature and salinity and (2) sigma-t from the CTD's (OPTOMA13).	56
20.		Mean temperature profiles from (a) XBT's and (b) CTD's, with + and - the standard deviation. (OPTOMA13).	57
21.		Mean profiles of (a) salinity and (b) sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA13).	58
22.		(a) T-S pairs and (b) mean T-S relation, with + and - the standard deviation, from the CTD's. Selected sigma-t contours are also shown. (OPTOMA13).	59
23.		Mean $N^2$ profile (), with + and - the standard deviation (). The $N^2$ profile from $\overline{T(z)}$ and $\overline{S(z)}$ is also shown (). (OPTOMA13).	60
24.		The cruise track for OPTOMA14.	62
25.		XBT and CTD locations for OPTOMA14.	63
26.		Station numbers for OPTOMA14.	64
27	(a)-(g).	XBT temperature profiles, staggered by multiples of 5C (OPTOMA14).	69

Figure	No.	Caption	Page
28		CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt (OPTOMA14).	76
29	(a)-(n).	Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA14).	77
30.		Mean temperature profiles from (a) XBT's and (b) CTD's, with + and - the standard deviation. (OPTOMA14).	84
31.		Mean profiles of (a) salinity and (b) sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA14).	85
32.		(a) T-S pairs and (b) mean T-S relation, with + and - the standard deviation, from the CTD's. Selected sigma-t contours are also shown. (OPTOMA14).	86
33.		Mean $N^2$ profile $()$ , with $+$ and $-$ the standard deviation $()$ . The $N^2$ profile from $\overline{T(z)}$ and $\overline{S(z)}$ is also shown $()$ . (OPTOMA14).	87
34.		The flight track for OPTOMA13P.	90
35.		AXBT locations for OPTOMA13P.	91
36.		Station numbers for OPTOMA13P.	92
37	(a)-(c).	AXBT temperature profiles, staggered by multiples of 5C (OPTOMA13P).	94
38	(a)-(h).	Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA13P).	97
39.		Mean temperature profile, with + and - the	101




Figure 1: The NOCAL, CENCAL and WABC subdomains of the OPTOMA Program. Isobaths shown in meters.

### INTRODUCTION

The OPTOMA (Ocean Prediction Through Observations, Modeling and Analysis) Program, a joint NPS/Harvard program sponsored by ONR, seeks to understand the mesoscale (fronts, eddies, and jets) variability and dynamics of the California Current System and to determine the scientific limits to practical mesoscale ocean forecasting. To help carry out the aims of this project, a series of cruises has been planned in three subdomains, NOCAL, CENCAL, and WABC shown in Figure 1.

The three cruises and one AXBT flight were undertaken, during October and November 1984, in the NOAA Ship McARTHUR and a Reserve Patrol Wing P3B aircraft. Hydrographic data were acquired off the coast of Washington, Oregon, and California in an area which covered and extended the WABC and NOCAL regions.

OPTOMA12 was carried out from 8 to 18 October and sampled the WABC subdomain, an area approximately 150km square about 150km west of the Straits of Juan de Fuca. An additional transect from the WABC area to Pt. Arena was sampled, as shown in Figure 2.

OPTOMA13 was carried out from 22 October to 3 November, and sampled an area approximately 200km square centered about 190km off the coast between Pt. Reyes and Pt. Arena in the NOCAL domain, with additional transects to and from Monterey, as shown in Figure 13.

OPTOMA14 was carried out from 3 to 14 November, and sampled the Mendocino escarpment area, off the coast of Cape Mendocino, with additional transects from Monterey and to Seattle, as shown in Figure 24.

OPTOMA13P was carried out on 27 October aboard a USNR P3B aircraft, and sampled an area approximately 250km square in the NOCAL area, as shown in Figure 34.

On each cruise track, transect extremes are identified by letter in these figures to aid in cross-referencing the data presented in subsequent figures. On each of these cruises, hydrographic stations were occupied at approximately 15 km along the track. For the AXBT flight, the along-track spacing was about 46km.

DATA ACQUISITION

Data acquired during OPTOMA12, OPTOMA13, and OPTOMA14 include XBT and CTD profiles; whereas data acquired during OPTOMA13P are AXBT profiles. Bucket surface temperature and water samples for salinity were taken at most CTD stations. These surface values were used for calibration purposes as well as contributions to the data base.


The XBT and AXBT data were digitized using a Sippican MK9 unit. All data were recorded, using an HP200 series computer, on data disks and transferred to the IBM 3033 mainframe computer for editing and processing.

Station positions aboard ship were determined by Loran C fixes and are claimed to be accurate to within about 0.1 km. A Plessey CTD and Sippican XBT's were employed during OPTOMA12; a Neil Brown CTD and Sippican XBT's were used during OPTOMA13 and OPTOMA14. Their accuracies are stated in Table 1. The bottle surface salinity samples from OPTOMA12 and OPTOMA13 were determined onboard by a Pic. Ilinometer; its accuracy is contained in Table 1. Samples from OPTOMA14 were commined by a Guildline Model 8400 "Autosal" salinometer with an accuracy of  $\pm 0.003$ ppt. Also during OPTOMA13, expendable current profiler (XCP) data were acquired, but will not be presented in this report.


Station positions for OPTOMA13P are accurate to within 1 km, temperature values to within 0.2C and depth values to within 2% or 5m (whichever is larger).


DATA PROCESSING

Data processing, such as estimating depth profiles for the XBT and AXBT temperature profiles based on the descent speed, and conversion of CTD conductivity to salinity using the algorithm given in Lewis and Perkin (1981),



September and the last product when the last were the last was and and the last last last the Beautife of Beautife of








Figure 5(a): XBT temperature profiles, staggered by multiples of 5C (OPTOMA12).

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM)	LONG (WEST) (DDD.MM)	SURFACE TEMP (DEG C)	SALINIT	TEM!	ET BOTTLE P SALINITY C) (PPT)
91	XBT	84291	347	40.46	125.35	14.9			
92	XBT	84291	439	40.37	125.32	14.9			
93	XBT	84291	532	40.27	125.28	14.7			
94	XBT	84291	626	40.17	125.25	14.4			
95	XBT	84291	715	40.07	125.23	14.7			
96	XBT	84291	806	39.58	125.16	15.2			
97	XBT	84291	855	39.50	125.09	15.2			
98	XBT	84291	952	39.40	125.02	14.9			
99	XBT	84291	1047	39.31	124.55	13.2			
100	XBT	84291	1139	39.22	124.46	13.3			
101	XBT	84291	1235	39.13	124.42	12.8			
102	XBT	84291	1331	39.05	124.35	13.0			
103	XBT	84291	1425	38.56	124.29	12.6			
104	CTD	84291	1600	38.49	124.22	12.6	33.27	*	33.35
105	XBT	84291	1707	38.38	124.15	13.2			
106	XBT	84291	1758	38.30	124.08	13.4			
107	XBT	84291	1852	38.21	124.01	13.5			
108	CTD	84291	1942	38.12	123.54	12.8	33.45	*	33.45
109	XBT	84291	2141	38.04	123.44	14.4			
110	XBT	84291	2300	37.56	123.34	14.1			
111	XBT	84291	11	37.49	123.25	13.7			
112	XBT	84292	125	37.40	123.18	12.6			
113	XBT	84292	231	37.32	123.10	12.6			
114	XBT	84292	346	37.24	123.03	12.7			
115	XBT	84292	501	37.16	122.56	14.1			

<sup>\*</sup> Data not available

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM)	LONG (WEST) (DDD.MM)	SURFACE TEMP (DEG C)	SALINIT		BOTTLE SALINITY (PPT)
46 47 48 49	XBT XBT XBT XBT	84289 84289 84289 84289	1221 1309 1414 1513	47.25 47.23 47.19 47.17	125.54 126.06 126.22 126.36	13.7 14.1 14.5 14.4			
50 51 52 53 54	XBT XBT CTD XBT XBT	84289 84289 84289 84289 84289	1614 1711 1810 2019 2110	47.14 47.12 47.09 46.59 46.49	126.51 127.06 127.19 127.16 127.13	13.9 14.0 14.1 14.7 14.6	32.10	*	32.13
55 56 57 58 59	XBT XBT XBT XBT XBT	84289 84289 84289 84290 84290	2202 2253 2347 37 131	46.40 46.30 46.20 46.11 46.00	127.10 127.07 127.04 127.01 126.58	14.5 14.8 15.2 14.9 14.7			
60 61 62 63 64	XBT XBT XBT XBT XBT	84290 84290 84290 84290 84290	218 306 357 451 534	45.51 45.43 45.32 45.22 45.12	126.55 126.52 126.48 126.46 126.43	14.8 15.0 15.1 15.0 14.8			
65 66 67 68	XBT XBT XBT XBT XBT	84290 84290 84290 84290 84290	622 710 756 840 927	45.02 44.52 44.42 44.33 44.23	126.40 126.37 126.34 126.31 126.28	15.0 15.1 15.0 14.3 14.3			
69 70 71 72 73	XBT XBT XBT XBT	84290 84290 84290 84290	1021 1110 1200 1246	44.12 44.03 43.53 43.43	126.25 126.22 126.19 126.15	14.9 14.7 15.3 15.5			
74 75 76 77 78	XBT XBT XBT XBT XBT	84290 84290 84290 84290	1335 1422 1518 1605 1655	43.33 43.23 43.12 43.03 42.53	126.13 126.10 126.09 126.06 126.04	15.7 15.7 15.3 15.3			
79 80 81 82 83	XBT XBT XBT XBT XBT	84290 84290 84290 84290 84290	1741 1830 1925 2011 2100	42.44 42.35 42.24 42.15 42.05	126.02 125.59 125.57 125.56 125.54	15.6 14.7 15.1 15.1 14.6			
84 85 86 87 88	XBT XBT XBT XBT XBT	84290 84290 84290 84291 84291	2150 2238 2328 18 106	41.55 41.46 41.36 41.26 41.17	125.52 125.49 125.47 125.46 125.43	14.6 14.0 13.9 14.6 14.1			
89 90	XBT XBT	84291 84291	200 256	41.06 40.56	125.41 125.38	14.4 14.5			

Table 2: OPTOMA12 Station Listing

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM)	LONG (WEST) (DDD.MM)		SALINI		T BOTTLE SALINITY (PPT)
1	XBT	84283	407	48.27	124.48	13.1			
2	XBT	84283	511	48.37	124.52	13.1			
3	XBT	84283	605	48.28	124.57	13.2			
4	XBT	84283	722	48.18	125.03	13.1			
5	XBT	84283	812	48.27	125.12	13.0			
6	XBT	84283	918	48.36	125.21	12.6			
. 7	XBT	84283	1003	48.43	125.29	11.9			
8	XBT	84283	1110	48.32	125.31	13.1			
9	XBT	84283	1214	48.22	125.32	13.6			
10	XBT	84285	1800	48.12	125.35	12.7			
11	XBT	84285	1855	48.20	125.43	12.9			
12	XBT	84285	1947	48.29	125.52	13.9			
13	XBT	84285	2041	48.36	126.00	13.8			
14	XBT	84285	2119	48.45	126.08	13.6			
15	XBT	84285	2238	48.54	126.16	13.7			
16	XBT	84285	2350	48.43	126.12	14.1			
17	XBT	84286	43	48.33	126.07	14.1	_		_
18	CTD	84286	125	48.25	126.04	14.1	32.05	*	*
19	XBT	84286	235	48.15	126.00	13.3			
20	CTD	84286	328	48.05	125.55	13.3	31.93	×	*
21	XBT	84286	802	47.55	125.51	12.6			
22	XBT	84288	922	47.53	126.05	12.3			
23	XBT	84288	1028	47.51	126.15	12.6			•
24	XBT	84288	1228	47.48	126.33	13.4			
25	XBT	84288	1402	47.45	126.47	13.6			
26	XBT	84288	1536	47.42	127.01	14.1			
27	XBT	84288	1722	47.39	127.17	14.1			
28	XBT	84288	1850	47.37	127.31	14.2			
29	XBT	84288	2019	47.49	127.36	14.2			
30	XBT	84288	2110	47.58	127.39	13.8			
31	XBT	84288	2239	48.07	127.43	13.8			
32 33	XBT	84288 84288	2307 2352	48.17 48.25	127.47 127.50	13.4 12.8			
34	XBT XBT	84289	101	48.35	127.55	12.8			
35		84289	156	48.29	127.33	13.3			
36	XBT XBT	84289	246	48.23	127.43	13.3			
37	XBT	84289	334	48.18	127.31	13.4			
38	XBT	84289	419	48.12	127.20	13.7			
39	XBT	84289	511	48.12	127.03	13.7			
40	XBT	84289	610	48.00	126.37	12.0			
41	XBT	84289	656	47.54	126.34	11.6			
42	XBT	84289	743	47.49	126.22	13.4			
43	XBT	84289	831	47.43	126.11	13.4			
44	XBT	84289	918	47.37	126.00	13.6			
45	CTD	84289	1130	47.27	125.41	14.0	32.08	*	32.03




Figure 4: Station numbers for OPTOMA12.




Figure 3: XBT and CTD locations for OPTOMA12.




Figure 2: The cruise track for OPTOMA12.

Section 1 OPTOMA12

Table 1: Scientific instruments aboard the NOAA Ship McARTHUR

Instr	ument	Variable	Sensor	Accuracy	Resolution
* Neil   CTD Mark		pressure temperature conductivity	strain gage thermistor electrode cell	1.6 db 0.005 C 0.005 mmho	0.025 db 0.0005 C 0.001 mmho
Sippi BT	can	temperature depth	thermistor descent speed	0.2 C greater of 4.6 and 2% of dept	
Pless	ey	pressure temperature conductivity		+0.04% of dept +0.005 C +0.005 mmho	h
Pless	ey Ometer	salinity		<u>+</u> 0.003ppt	

<sup>\*</sup> employed only during OPTOMA13 and OPTOMA14

Isotherms for each transect are shown in the next pages, followed (except for Leg P) by isopleths of temperature, salinity and sigma-t, from the CTD's, when four or more casts were acquired along a transect. Based on instrument accuracy and the vertical temperature gradient, it is estimated that depths of isotherms in the main thermocline are uncertain to +20m. The tick marks identify station positions and, again, the transect extremes are shown on these plots.

Sections 1, 2, and 3 include mean profiles of temperature from the XBT's and CTD's. In addition mean profiles of temperature, salinity and sigma-t from the CTD's are given, as well as a scatter diagram of the T-S pairs and the mean S(T) curve, with the  $\pm$  standard deviation envelope; the data presentation concludes with a plot of the mean  $N^2$  (Brunt-Vaisala frequency squared) profile, with  $\pm$  the standard deviation. On the sigma-t and  $N^2$  plots, the appropriate profiles derived from the mean temperature and mean salinity profiles are also shown.

Section 4 includes the mean profile of the temperature from the AXBT's.


was carried out on the IBM 3033 at the Naval Postgraduate School. The data were then edited by removing obvious salinity spikes and eliminating cast failures that were not identified during the cruise. Approximately 100%, 94%, 100% and 81% of casts were retained in the data set of OPTOMA12, OPTOMA13, OPTOMA14 and OPTOMA13P, respectively. During OPTOMA12 the conductivity cell appeared to be unstable during the first three CTD stations; only the temperature data from those stations appear in this report. The surface salinities for the next four CTD stations of OPTOMA12 were too high on average by 2.16 ppt and were adjusted accordingly. No corrections were made to the remaining two CTD's. For the OPTOMA13 and 14 salinities, no corrections were required. The CTD data were interpolated to 5 m intervals and then up and down casts were averaged.


The data have been transferred on digital tape to the National Oceanographic Data Center in Washington, DC.

#### DATA PRESENTATION

The cruise track, station locations (with XBT's, CTD's and AXBT's identified) and station numbers are shown in the first three figures of each of the next four sections, which present the data from OPTOMA12, OPTOMA13, OPTOMA14 and OPTOMA13P respectively. These figures are followed by a listing of the stations, with their coordinates, the date and time at which the station was occupied, and the surface information obtained at the station.

Vertical profiles of temperature from the XBT casts are shown in staggered fashion. The location of these profiles may be found by reference to the various maps of the cruise tracks. Transect extremes are identified as nearly as possible. The first profile on each plot is shown with its temperature unchanged; to each subsequent profile an appropriate multiple of 5C has been added. Vertical profiles from the CTD's follow (except Leg P). Profiles of temperature are staggered by 5C and those of salinity by 4 ppt.









Figure 6: CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt (OPTOMA12).






Figure 7: CTD casts deeper than 500m (OPTOMA12).




Figure 8(a)-(c): Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMAI2).




Figure 8(d)




Figure 8(e)




Figure 8(f)




Figure 8(g)




Figure 8(h)




Figure 8(i)




Figure 8(j)




Figure 9: Mean temperature profiles from (a) XBT's and (b) CTD's, with + and - the standard deviation (OPTOMA12).




Figure 10: Mean profiles of (a) salinity and (b) sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA12).




Figure 11: (a) T-S pairs and (b) mean T-S relation, with + and - the standard deviation, from the CTD's. Selected sigma-t contours are also shown (OPTOMA12).





Figure 12: Mean  $N^2$  profile(—), with + and - the standard deviation(---). The  $N^2$  profile from  $\overline{T(z)}$  and  $\overline{S(z)}$  is also shown(...) (OPTOMA12).

Section 2

OPTOMA13











Figure 17(a): CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt. (OPTOMA13).














Figure 16(a): XBT temperature profiles, staggered by multiples of 5C (OPTOMA13).

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM)	LONG (WEST) (DDD.MM)	SURFACE TEMP (DEG C)
136	XBT	84306	2213	37.54	126.11	17.0
137	XBT	84306	2311	37.46	126.05	16.6
138	XBT	84307	10	37.38	125.58	<b>15.9</b>
139	XBT	84307	109	37.29	125.52	16.6
140	XBT	84307	209	37.20	125.45	15.1
141	XBT	84307	309	37.26	125.33	15.3
142	XBT	84307	544	37.15	125.55	15.2
143	XBT	84307	702	37.10	126.07	15.1
144	XBT	84307	956	37.35	125.39	16.0
145	XBT	84307	1056	37.45	125.37	15.8
146	XBT	84307	1205	37.56	125.34	14.9
147	XBT	84307	1259	38.04	125.30	13.3
148	XBT	84307	1406	38.04	125.18	13.8
149	XBT	84307	1456	38.04	125.06	14.2
						_ · • _

<sup>\*</sup> Data not available

```
STN TYPE
            YR/DAY
                     GMT
                            LAT
                                     LONG
                                            SURFACE SURFACE BUCKET BOTTLE
                          (NORTH) (WEST)
                                             TEMP
                                                     SALINITY TEMP SALINITY
                          (DD.MM)(DDD.MM)(DEG C) (PPT)
                                                             (DEG C)
 91
      XBT
            84302
                     917
                           39.13
                                    125.25
                                             13.7
 92
      XBT
            84302
                     939
                           39.12
                                    125.25
                                             13.3
 93
      XBT
            84302
                           39.10
                                    125.26
                     955
                                             13.2
 94
      XBT
            84302
                    1010
                           39.09
                                   125.26
                                             12.9
 95
      XBT
            84302
                    1026
                           39.08
                                   125.27
                                             12.8
 96
      XBT
            84302
                    1039
                                             12.8
                           39.07
                                    125.27
 97
      XBT
            84302
                    1052
                           39.07
                                   125.28
                                             12.8
 98
      XBT
            84302
                    1106
                           39.05
                                    125.28
                                             12.8
 99
            84302
      XBT
                                   125.28
                    1118
                           39.05
                                             12.8
100
      XBT
            84302
                    1130
                           39.04
                                   125.29
                                             12.6
101
      CTD
            84302
                    1602
                           39.11
                                   125.26
                                             13.2
                                                     33.03
                                                              13.2
                                                                       33.06
102
      XBT
            84302
                    2005
                           39.08
                                   125.12
                                             12.7
103
      XBT
            84302
                    2102
                                   125.00
                           39.03
                                             13.0
104
                                   124.48
      XBT
            84302
                           38.58
                                             12.9
                    2155
105
      XBT
            84302
                           38.53
                                   124.35
                    2252
                                             13.0
106
      CTD
            84303
                           38.47
                                   124.23
                      12
                                             12.5
                                                     33.34
                                                              13.1
                                                                       33.34
107
                     214
      XBT
            84303
                           38.41
                                   124.12
                                             12.4
108
      XBT
            84303
                           38.34
                     338
                                   124.03
                                             12.2
109
            84303
      XBT
                           38.28
                     501
                                   123.53
                                             12.0
110
      XBT
            84303
                     625
                           38.22
                                   123.43
                                             13.5
111
      XBT
            84303
                     810
                           38.15
                                   123.34
                                             13.2
112
      XBT
            84303
                           38.09
                                   123.24
                     934
                                             12.9
113
      XBT
            84303
                    1109
                                   123.15
                           38.02
                                             11.8
114
      XBT
            84303
                           37.55
                                   123.05
                    1243
                                             11.8
                           37.55
115
      XBT
            84305
                    2103
                                   123.13
                                             11.6
116
            84305
      XBT
                    2200
                           37.58
                                   123.24
                                             11.3
117
      XBT
           84305
                    2311
                           38.01
                                   123.36
                                             13.5
118
                      18
      XBT
            84306
                           38.04
                                   123.48
                                             13.0
119
           84306
      XBT
                           38.07
                                   124.00
                     126
                                             12.6
120
      XBT
           84306
                     225
                           38.09
                                   124.12
                                             13.9
121
      XBT
           84306
                     327
                           38.12
                                   124.24
                                             13.5
122
      XBT
           84306
                     443
                           38.15
                                   124.38
                                             12.6
123
      XBT
           84306
                     530
                           38.17
                                   124.48
                                             12.2
124
      XBT
           84306
                           38.20
                     636
                                   125.00
                                             13.8
125
                           38.23
      XBT
           84306
                     740
                                   125.12
                                             14.2
126
      XBT
           84306
                     922
                           38.28
                                   125.36
                                            13.8
127
      XBT
           84306
                    1010
                           38.31
                                   125.47
                                             13.3
128
      XBT
           84306
                    1101
                           38.34
                                   125.59
                                             16.5
129
      XBT
           84306
                    1152
                           38.37
                                   126.11
                                            16.8
           84306
130
      CTD
                    1411
                           38.41
                                   126.35
                                            16.7
                                                     32.73
                                                              16.8
131
      XBT
           84306
                    1528
                           38.45
                                   126.51
                                            16.4
132
      XBT
           84306
                    1644
                           38.36
                                   126.43
                                            17.3
133
     XBT
           84306
                    1850
                           38.19
                                   126.31
                                            17.3
134
     XBT
           84306
                    2000
                           38.11
                                   126.24
                                            17.2
135
     XBT
           84306
                    2113
                           38.03
                                   126.18
                                            17.0
```

STN	TYPE	YR/DAY	GMT			SURFACE TEMP (DEG C)	SALINIT		BOTTLE SALINITY (PPT)
46 47 48 49	XBT XBT CTD XBT	84300 84300 84300 84300	628 739 911 1257	38.27 38.37 38.48 38.56	124.37 124.45 124.53 124.59	13.0 12.2 12.6 12.8	33.24	12.7	34.93
50	CTD	84300	1521	39.03	124.50	12.5	33.07	*	33.50
51 52	CTD	84300	1702	39.06	125.08	12.5	33.11	12.8	33.07
53	CTD XBT	84300 84300	1911 2222	38.52 38.56	125.10 124.59	13.0	33.22	12.8	33.21
54	XBT	84301	122	39.15	124.35	13.0 12.9			
55	XBT	84301	240	39.25	125.22	14.3			
56	XBT	84301	326	39.16	125.25	13.6			
57	XBT	84301	410	39.08	125.29	12.7			
58	XBT	84301	439	39.02	125.31	12.7			
59	XBT	84301	531	38.52	125.25	13.1			
60	XBT	84301	622	38.43	125.18	13.1			
61	XBT	84301	710	38.35	125.11	14.2			
62	XBT	84301	757	38.26	125.05	14.6			
63	XBT	84301	847	38.16	124.58	14.1			
64	XBT	84301	935	38.09	124.51	13.1			
65 66	XBT	84301	1027	38.01	124.43	14.0			
66 67	XBT XBT	84301 84301	1118	37.51	124.38	14.1			
68	XBT	84301	1213 1302	37.54 37.56	124.49 125.01	13.9 13.4			
69	XBT	84301	1347	37.59	125.12	13.4			
70	XBT	84301	1447	38.08	125.12	13.8			
71	XBT	84301	1532	38.15	125.25	14.2			
72	XBT	84301	1633	38.25	125.33	14.3			
73	XBT	84301	1711	38.32	125.38	13.9			
74	CTD	84301	1836	38.42	125.47	13.6	33.12	13.8	33.07
75	XBT	84301	1958	38.50	125.53	13.8			
76	XBT	84301	2036	38.56	125.58	13.1			
77	XBT	84301	2119	39.03	126.04	13.6			
78	XBT	84301	2210	39.11	126.10	13.7			
79	XBT	84301	2303	39.05	126.00	13.8			
80 81	XBT XBT	84301 84302	2352 36	38.58 38.52	125.50 125.41	14.3			
82	XBT	84302	115	38.59	125.41	13.2 13.6			
83	XBT	84302	157	39.07	125.45	13.5			
84	XBT	84302	235	39.13	125.46	13.0			
85	XBT	84302	322	39.22	125.47	14.6			
86	XBT	84302	413	39.27	125.37	14.8			
87	XBT	84302	450	39.20	125.39	14.5			
88	XBT	84302	527	39.13	125.36	13.4			
89	XBT	84302	603	39.07	125.33	12.6			
90	XBT	84302	632	39.01	125.32	12.9			

Table 3: OPTOMA13 Station Listing

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM)	LONG (WEST) (DDD.MM)	SURFACE TEMP (DEG C)	SALINIT		SALINITY
1 2 3 4 5 6	XBT XBT CTD XBT XBT XBT	84296 84296 84296 84296 84296 84296	1724 1816 1919 2030 2127 2224	36.44 36.49 36.54 36.59 37.05 37.08	122.08 122.19 122.30 122.42 122.53 123.05	12.7 14.4 14.3 14.2 15.0 15.1	33.35	*	33.21
7 8 9 10 11 12	XBT XBT CTD XBT XBT XBT	84296 84297 84297 84297 84278 84298	2322 3 122 2250 115 122	37.15 37.15 37.22 36.48 37.02 37.03	123.16 123.28 122.18 122.48 122.49	14.4 14.1 13.6 14.7 14.3	33.27	13.8	33.23
13 14 15	XBT CTD CTD	84298 84298 84298	302 415 825	37.12 37.18 37.21	123.00 123.23 123.26	15.2 13.2 12.7	33.32 33.43	13.9 13.0	33.42 33.45
16	XBT	84298	910	37.24	123.26	14.3	33.43	13.0	33.43
17	CTD	84298	1013 1152	37.26	123.24	13.8	33.18	14.0	33.20
18 19	XBT XBT	84298 84298	1302	37.36 37.44	123.30 123.35	14.3 13.8			
20	XBT	84298	1426	37.53	123.41	13.1			
21	XBT	84298	1547	38.01	123.46	13.1			
22	XBT	84298	1805	38.12	123.56	12.7			
23	XBT	84298	1949	38.21	124.02	13.1			•
24	XBT	84298	2144	38.29	124.09	12.9			
25	XBT	84298	2341	38.37	124.15	11.7			
26	XBT	84299	201	38.48	124.23	11.6			
27 28	XBT XBT	84299 84299	344 531	38.56 39.05	124.28 124.35	12.6 12.7			
29	XBT	84299	702	39.13	124.42	12.7			
30	XBT	84299	836	39.22	124.49	12.7			
31	XBT	84299	1039	39.31	124.56	13.5			
32	XBT	84299	1147	39.36	125.00	14.1			
33	XBT	84299	1321	39.31	125.12	14.2			
34	XBT	84299	1409	39.22	125.06	13.4			
35	XBT	84299	1457	39.14	124.59	12.8			
36	XBT	84299	1603	39.05	124.54	12.6			
37	XBT	84299	1758	38.48	124.39	11.9			
38	XBT	84299	1841	38.41	124.33	11.4 12.1	33 26	12.3	33.26
39 40	CTD XBT	84299 84299	1955 2125	38.32 38.24	124.27 124.20	12.1	33.26	17.3	33.20
41	CTD	84299	2235	38.16	124.20	13.8	33.10	14.0	33.16
42	XBT	84299	2352	38.07	124.13	13.4	33.10	±110	55.10
43	CTD	84300	128	38.03	124.18	14.0	32.98	13.8	32.99
44	XBT	84300	305	38.11	124.24	14.0	- · · <del>-</del>		
45	CTD	84300	444	38.19	124.30	13.6	33.10	13.6	33.13




Figure 15: Station numbers for OPTOMA13.




Figure 14: XBT and CTD locations for OPTOMA13.





Figure 13: The cruise track for OPTOMA13. The first excursion of the track is shown as a solid line, the second excursion as a broken line.






Figure 17(b)




Figure 18(a): Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA13).




Figure 18(b)




Figure 18(c)




Figure 18(d)









Figure 18(e)

















Figure 18(o)




Figure 18(p)




Figure 18(q)




Figure 18(r)




Figure 18(s)




Figure 19: Isopleths of (1) temperature and salinity and (2) sigma-t from the CTD's (OPTOMA13).




Figure 20: Mean temperature profiles from (a) XBT's and (b) CTD's, with + and - the standard deviation (OPTOMAI3).




Figure 21: Mean profiles of (a) salinity and (b) sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA13).








Figure 22: (a) T-S pairs and (b) mean T-S relation, with + and - the standard deviation, from the CTD's. Selected sigma-t contours are also shown (OPTOMA13).












Figure 27(a): XBT temperature profiles, staggered by multiples of 5C (OPTOMA14).

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM)	LONG (WEST) (DDD.MM)	SURFACE TEMP (DEG C)
136	XBT	84314	1402	47.03	126.43	11.9
137	XBT	84314	1448	47.09	126.33	11.9
138	XBT	84314	1536	47.16	126.22	11.6
139	XBT	84314	1627	47.23	126.12	11.1
140	XBT	84314	1713	47.29	126.02	11.6
141	XBT	84314	1800	47.35	125.52	11.7
142	XBT	84314	1835	47.39	125.48	11.6
143	XBT	84314	1919	47.36	125.59	11.6
144	XBT	84314	2011	47.37	126.13	11.2
145	XBT	84314	2105	47.37	126.28	11.5
146	XBT	84314	2157	47.35	126.43	11.1
147	XBT	84314	2255	47.40	126.30	11.3
148	XBT	84314	2350	47.45	126.17	11.6
149	XBT	84315	41	47.49	126.05	10.4
150	XBT	84315	139	47.54	125.51	10.5
151	XBT	84315	235	48.00	125.39	10.8
152	XBT	84315	328	48.05	125,27	11.1
153	XBT	84315	422	48.12	125.15	11.3

<sup>\*</sup> Data not available

STN	TYPE	YR/DAY	GMT		LONG (WEST) (DDD.MM)	SURFACE TEMP (DEG C)
91 92 93 94 95 96 97 98 99 100 101 102 103 104	XBT XBT XBT XBT XBT XBT XBT XBT XBT XBT	84312 84312 84312 84312 84312 84312 84313 84313 84313 84313 84313 84313 84313	1707 1758 1844 1944 2041 2138 2233 2327 19 109 201 253 347 438 542 646	42.02 42.05 42.07 42.14 42.21 42.29 42.36 42.43 42.50 42.58 43.05 43.13 43.20 43.27 43.35 43.43	127.32 127.18 127.06 127.16 127.26 127.35 127.46 127.56 128.07 128.14 128.23 128.32 128.43 128.43 128.54	14.0 14.0 13.8 14.0 13.9 13.8 13.9 14.1 14.1 13.7 13.8 14.1 13.5 13.5
106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122	XBT XBT XBT XBT XBT XBT XBT XBT XBT XBT	84313 84313 84313 84313 84313 84313 84313 84313 84313 84313 84314 84314 84314	750 856 1007 1114 1222 1328 1439 2005 2100 2200 2300 2341 31 121 201 250	43.43 43.49 43.57 44.04 44.12 44.18 44.26 44.33 44.39 44.46 44.52 45.02 45.07 45.12 45.20 45.26 45.32	129.12 129.21 129.31 129.41 129.51 130.00 130.18 130.26 130.16 130.06 129.53 129.45 129.35 129.23 129.05	13.3 13.2 13.1 12.9 12.6 12.6 12.5 12.7 12.5 12.7 12.5 12.2 12.3 12.4 12.3 12.8 12.9
123 124 125 126 127 128 129 130 131 132 133 134	XBT XBT XBT XBT XBT XBT XBT XBT XBT XBT	84314 84314 84314 84314 84314 84314 84314 84314 84314 84314	340 427 517 603 652 742 831 918 1009 1059 1146 1228 1322	45.39 45.45 45.52 45.58 46.04 46.12 46.18 46.24 46.31 46.38 46.44 46.51	128.55 128.45 128.34 128.23 128.14 128.04 127.54 127.44 127.33 127.24 127.14 127.03 126.53	13.2 12.8 12.7 12.6 12.7 12.4 12.3 12.4 12.2 12.3 12.3

STN	TYPE	YR/DAY	GMT	LAT	LONG	SURFACE	SURFACE	BUCKET	BOTTLE
					(WEST)	TEMP			SALINITY
				(DD.MM)	(DDD.MM)	(DEG C)	(PPT)	(DEG C)	(PPT)
46	XBT	84310	2208	40.23	126.45	15.2			
47	CTD	84310	2319	40.22	126.58	15.4	32.42	*	33.42
48	XBT	84311	31	40.21	127.12	15.3			
49	XBT	84311	131	40.20	127.24	15.4			
50	XBT	84311	247	40.20	127.37	15.7			
51	XBT	84311	326	40.26	127.33	15.7			
52	XBT	84311	355	40.31	127.29	15.4			
53	XBT	84311	540	40.32	127.03	15.2			
54	XBT	84311	602	40.34	126.56	15.6			
55	XBT	84311	701	40.35	126.40	14.9			
56	XBT	84311	801	40.37	126.24	14.8			
57	XBT	84311	846	40.36	126.12	14.6			
58	XBT	84311	934	40.36	125.59	14.6			
59	XBT	84311	1022	40.37	125.46	14.5			
60	XBT	84311	1114	40.38	125.33	14.3			
61	XBT	84311	1210	40.38	125.20	13.8			
62	XBT	84311	1301	40.39	125.07	13.5			
63	XBT	84311	1411	40.43	125.21	13.4			
64	XBT	84311	1505	40.45	125.34	13.8			
65	XBT	84311	1559	40.46	125.47	13.7			
66	XBT	84311	1676	40.48	126.00	13.6			
67	XBT	84311	1803	40.50	126.13	13.3			
68	XBT	84311	1905	40.51	126.26	13.8			
69	XBT	84311	2011	40.53	126.39	14.1			
70	XBT	84311	2121	40.55	126.52	14.1			
71	XBT	84311	2236	40.57	127.05	14.6			
72	XBT	84311	2358	40.58	127.19	14.7			
73	XBT	84312	110	41.00	127.31	14.8			
74	XBT	84312	202	41.03	127.19	15.1			
75	XBT	84312	252	41.06	127.06	14.7			
76	XBT	84312	350	41.11 41.14	126.52 126.40	14.2			
77 78	XBT XBT	84312	440	41.14		13.6			
76 79	XBT	84312 84312	522 623	41.17	126.29 126.43	13.2 13.5			
80	XBT	84312	711		126.43	13.2			
81	XBT	84312	806	41.27	127.08	13.7			
82	XBT	84312	852	41.30	127.00	14.3			
83	XBT	84312	955	41.35	127.28	13.7			
84	XBT	84312	1043	41.38	126.56	13.7			
85	XBT	84312	1139	41.43	126.30	13.2			
86	XBT	84312	1230	41.47	126.55	13.3			
87	XBT	84312	1318	41.49	127.07	13.6			
88	XBT	84312	1414	41.52	127.21	13.7			
89	XBT	84312	1510	41.56	127.33	13.7			
90	XBT	84312	1608	42.00	127.46	14.4			
, ,		0,312	1000	.2.00	127170	- · · · · · · · · · · · · · · · · · · ·			

Table 4: OPTOMA 14 Station Listing

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM)		SURFACE TEMP (DEG C)	SALINIT	E BUCKET TY TEMP (DEG C)	SALINITY
1 2 3	XBT XBT XBT	84309 84309 84309	439 534 635	38.03 38.08 38.13	123.10 123.21 123.32	12.2 11.8 12.5			
4 5	XBT XBT	84309 84309	730 826	38.18 38.24	123.43 123.54	13.2 13.2			
6	XBT	84309	917	38.29	124.04	13.1			
7	XBT	84309	1009	38.34	124.15	12.3			
8 9	XBT XBT	84309 84309	1102 1156	38.40	124.26	12.5			
10	XBT	84309	1247	38.44 38.49	124.38 124.49	12.3 14.1			
11	XBT	84309	1344	38.55	125.01	14.3			
12	XBT	84309	1436	39.01	125.12	13.1			
13	XBT	84309	1530	39.06	125.23	12.6			
14	XBT	84309	1622	39.11	125.35	12.5			
15	XBT	84309	1719	39.17	125.45	13.6			
16	XBT	84309	1819	39.23	125.56	13.4			
17 18	XBT XBT	84309 84309	1916 2011	39.28 39.33	126.06	13.1			
19	XBT	84309	2108	39.33	126.17 126.29	14.2 15.0			
20	XBT	84309	2158	39.44	126.39	15.4			
21	XBT	84309	2255	39.50	126.51	14.5			
22	XBT	84309	2347	39.55	127.02	15.4			
23	XBT	84310	37	40.01	127.13	15.8			
24	XBT	84310	127	40.04	127.21	16.0			•
25	XBT	84310	235	40.06	127.07	15.8			
26	XBT	84310	327	40.06	126.54	14.5			
27 28	XBT XBT	84310 84310	426 518	40.07 40.10	126.40 126.27	14.9 15.2			
29	XBT	84310	614	40.10	126.27	15.2			
30	XBT	84310	706	40.11	126.00	15.3			
31	XBT	84310	800	40.13	125.46	15.2			
32	XBT	84310	848	40.15	125.33	15.3			
33	XBT	84310	938	40.16	125.20	14.6			
34	XBT	84310	1022	40.18	125.08	14.2			
35	XBT	84310	1114	40.19	124.54	13.6			
36	XBT	84310	1202	40.20	124.42	12.4			
37 38	XBT XBT	84310 84310	1303 1406	40.21 40.23	124.56 125.10	13.5 14.1			
39	XBT	84310	1502	40.24	125.24	14.6			
40	XBT	84310	1600	40.26	125.38	14.9			
41	XBT	84310	1658	40.26	125.52	14.5			
42	CTD	84310	1724	40.26	125.52	14.5	32.14	*	32.23
43	XBT	84310	1838	40.26	126.05	14.7			
44	CTD	84310	1952	40.26	126.18	14.7	32.22	*	33.22
45	XBT	84310	2114	40.24	126.31	15.2			




Figure 26: Station numbers for OPTOMA14.




Figure 25: XBT and CTD locations for OPTOMA14.




Figure 24: The cruise track for OPTOMA14.

Section 3

OPTOMA14







Figure 23: Mean  $N^2$  profile(—), with + and - th. standard deviation(---). The  $N^2$  profile from  $\overline{T(z)}$  and  $\overline{S(z)}$  is also shown(....) (OPTOMA13).










Figure 28: CTD temperature profiles, staggered by multiples of 5C, and salinity profiles staggered by multiples of 4 ppt. (OPTOMA14).




Figure 29(a): Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA14).






Figure 29(b)




Figure 29(c)




Figure 29(d)






Figure 29(e)










Figure 29(1)





**.** 




Figure 30: Mean temperature profiles from (a) XBI's and (b) CTD's, with + and - the standard deviation (OPTOMA14).




Figure 31: Mean profiles of (a) salinity and (b) sigma-t, with + and - the standard deviations, from the CTD's (OPTOMA14).




Figure 32: (a) T-S pairs and (b) mean T-S relation, with + and - the standard deviation, from the CTD's. Selected sigma-t contours are also shown (OPTOMA14). Selected sigma-t contours are also shown (OPTOMA14).






Figure 33: Mean  $N^2$  profile(——), with + and - the standard deviation(---). The  $N^2$  profile from T(z) and S(z) is also shown(...) (OPTOMA14).





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

This page left intentionally blank

Section 4

OPTOMA13P




Figure 34: The flight track for OPTOMA13P.




Figure 35: AXBT locations for OPTOMA13P.




Figure 36: Station numbers for OPTOMAl3P.

Table 5: OPTOMA13P Station Listing

STN	TYPE	YR/DAY	GMT	LAT (NORTH) (DD.MM	LONG (WEST) (DDD.MM)	SURFACE TEMP (DEG C)
1 2	AXBT AXBT	84301 84301	1847 1900	37.52 37.30	123.42 124.26	14.1 14.4
3	AXBT	84301	1749	37.12	125.10	15.7
4	AXBT	84301	1755	37.02	125.32	15.4
5	AXBT	84301	1800	36.52	125.52	15.6
6	AXBT	84301	1808	37.09	125.52	15.2
7	AXBT	84301	1814	37.19	125.31	15.5
8	AXBT	84301	1824	37.39	124.47	14.2
9	AXBT	84301	1836	38.01	124.02	14.4
10	AXBT	84301	1924	38.18	124.02	13.1
11	AXBT	84301	1944	38.07	124.25	14.3
12	AXBT	84301	1955	37.58	124.46	14.2
13	AXBT	84301	2014	37.38	125.30	16.7
14	AXBT	84301	2027	37.27	125.51	15.6
15	AXBT	84301	2033	37.17	126.12	15.9
16	AXBT	84301	2050	37.36	126.12	15.4
17	AXBT	84301	2100	37.46	125.50	16.1
18	AXBT	84301	2107	38.06	125.07	14.0
19	AXBT	84301	2122	38.27	124.22	13.1
20	AXBT	84301	2132	38.45	124.20	12.1
21	AXBT	84301	2138	38.35	124.42	13.0
22	AXBT	84301	2146	38.25	125.05	15.0
23 24	AXBT	84301	2152	38.15	125.26	14.3
25	AXBT AXBT	84301 84301	2200 2205	38.05	125.49 126.10	14.4 16.7
26	AXBT	84301	2213	37.54 37.43	126.10	16.7
27	AXBT	84301	2221	38.02	126.31	17.6
28	AXBT	84301	2230	38.12	126.08	16.4
29	AXBT	84301	2241	38.32	125.24	14.8
30	AXBT	84301	2250	38.43	125.03	14.5
31	AXBT	84301	2255	38.53	124.41	12.8
32	AXBT	84301	2302	39.11	124.40	13.1
33	AXBT	84301	2319	39.01	125.02	13.5
34	AXBT	84301	2325	38.51	125.24	14.4
35	AXBT	84301	2333	38.40	125.46	14.1
36	AXBT	84301	2341	38.30	126.08	16.9
37	AXBT	84301	2347	38.20	126.30	17.8
38	AXBT	84301	2352	38.09	126.51	17.8
39	AXBT	84301	2358	38.27	126.50	17.8
40	AXBT	84302	5	38.37	126.28	17.8
41	AXBT	84302	23	39.07	125.22	13.4
42	AXBT	84302	29	39.19	125.00	12.9







Figure 37(a): AXBT temperature profiles; staggered by multiples of 5C (OPTOMA13P).










Figure 38(a)-(b): Along-track isotherms. Tick marks along the upper horizontal axis show station positions. Some station numbers are given. Dashed lines are used if the cast was too shallow (OPTOMA13P).




Figure 38(c)




Figure 38(d)




Figure 38(e)





Figure 38(f)






Figure 38(h)




Figure 39: Mean temperature profile, with + and - the standard deviation (OPTOMA13P).

### **ACKNOWLEDGEMENTS**

This research was sponsored by the ONR Physical Oceanography Program. The success of the fieldwork was strongly dependent on the competent, willing support of the crew of the NOAA Ship McARTHUR and the P3 Reserve Patrol Wing aircraft. The National Ocean Service, NOAA is thanked for making the NOAA ship McARTHUR available for cooperative PMEL and NPS ocean circulation and mesoscale prediction studies of the Pacific Coast EEZ. Members of the scientific cruise party were:

OPTOMA12 - Prof. C.N.K. Mooers, Chief Scientist, NPS
Mr. Paul Wittmann, Assistant Chief Scientist, NPS
Ms. Elzbet Diaz de Leon, Assistant Chief Scientist, UCSC

OPTOMA13 - Dr. Edward Kelley, Jr., Chief Scientist, NPS
Dr. Robert Loch, NPS
Mr. Eric Kunze, Applied Physics Laboratory
Mr. Arthur Bartlett, Applied Physics Laboratory

OPTOMA14 - Ms. Arlene Bird, Chief Scientist, NPS Mr. Donald Martens, Party Chief, NPS

OPTOMA13P - Ms. Marie Colton, NPS LT Mark Johnson, USN

## REFERENCE

Lewis, E.L. and R.G. Perkin, 1981: The Practical Salinity Scale 1978: conversion of existing data. Deep Sea Res. 28A, 307-328.

# INITIAL DISTRIBUTION LIST

1.	Naval Postgraduate School Department of Oceanography Monterey, CA 93943	•
	Prof. Christopher N.K. Mooers Dr. Michele M. Rienecker Dr. Edward A. Kelley Ms. Marie C. Colton Mr. Paul A. Wittmann Dr. Mary L. Batteen Dr. Laurence C. Breaker	33 1 1 1 1 1 1
	LCDR J. Edward Johnson, USN	ī
2.	Harvard University Division of Applied Sciences Pierce Hall, Room 100D Cambridge, MA 02138	
	Prof. Allan R. Robinson Dr. James A. Carton	1
	Dr. Everett F. Carter	1
	Mr. Leonard J. Walstad Mr. Wayne G. Leslie	1
	Ms. Nadia Pinardi	1
	Prof. Myron B. Fiering	1
3.	Office of Naval Research (ONR)	
	800 N. Quincy St. Arlington, VA 22217	
	Dr. Thomas W. Spence	1
	Dr. Thomas B. Curtin	1
4.	College of Oceanography	
	Oregon State University Corvallis, OR 97331	
	Prof. Robert L. Smith Dr. Adrian Huyer	1 1
5.	Jet Propulsion Laboratory (JPL)	
	California Institute of Tech. 4800 Oak Grove Road	
	Pasadena, CA 91109	
	Dr. Denise E. Hagan (Code 183-501)	1
	Dr. Mark Abbott (also at Scripps)	Ţ

6.	Commanding Officer Fleet Numerical Oceanography Center (FNOC) Monterey, CA 93943	
	CDR John F. Pfeiffer, USN Mr. R. Michael Clancy Mr. Ken Pollak Ms. Evelyn Hesse	1 1 1
	LCDR Michael R. Frost, RN	1
7.	Sandia National Laboratories Div. 6334 Albuquerque, NM 97185	
	Albaquer ques ini 37203	
	Dr. Mel Marietta	1
	Dr. Eugene S. Hertel Dr. Stuart L. Kupferman	1
8.	Marine Products Branch, W/NMC21	
•	National Meteorological Center	
	National Weather Service, NOAA	
	Washington, D.C. 20233	
	LCDR Craig S. Nelson, NOAA Corps	1
9.	National Center for Atmospheric Research (NCAR) P.O. Box 3000	
	Boulder, CO 80307	
	Dr. Dale B. Haidvogel	1
	Dr. Date B. Haldvoget	1
10.		
	University of California, San Diego La Jolla, CA 92093	
		1
	Prof. Russ E. Davis Dr. Jerome A. Smith	1
	Mr. Phillip Bogden	1
11.	Princeton University	
	Geophysical Fluid Dynamics Program	
	P.O. Box 308 Princeton, NJ 08540	
	Prof. George L. Mellor	1
	•	•
12.	Tulane University Department of Mathematics	
	6823 St. Charles	
	New Orleans, LA 70118	
	Dr. Robert N. Miller	1

13.	Woods Hole Oceanographic Institution Department of Physical Oceanography Woods Hole, MA 02543	
	Dr. Kenneth H. Brink Dr. Robert C. Beardsley	1
14.	Naval Ocean Research and Development Activity (NORDA) NSTL Station Bay St. Louis, MS 39525	
	Dr. Steve A. Piacsek Dr. Dana A. Thompson Dr. Harley C. Hurlburt Dr. Alexander Warn-Varnas	1 1 1
15.	Mathematics Department 121-1984 Mathematics Road University of British Columbia Vancouver, British Columbia CANADA V6T 1Y4	
	Prof. Lawrence A. Mysak	1
16.	Department of Oceanography University of Hawaii 2525 Correa Road Honolulu, HI 96822	
	Prof. Lorenz Magaard	1
17.	NAVOCEANCOMFAC Keflavik Iceland FPO NY 09571	
	LTJG Diane C. Durban, USN	1
18.	Ocean Circulation Division Atlantic Oceanography Laboratory Bedford Institute of Oceanography Dartmouth, N.S. Box 1006 CANADA B2Y 4A2	
	Dr. Motoyoshi Ikeda	1
19.	Precision Marine Meteorologic Nationale 2 Ave. RAPP 75340 Paris CEDEX 07	
	Pro lacques Saurel	1
	Dr. Jacques Saurel	T

20.	Div. of Oceanography RSMAS University of Miami 4600 Rickenbacker Causeway Miami, FL 33149	
	Dr. Otis Brown	1
21.	Applied Physics Laboratory University of Washington 1013 NE 40th Str. Seattle, WA 98105	
	Dr. Thomas B. Sanford	1
22.	School of Oceanography University of Washington Seattle, WA 98195	
	Dr. Steven C. Riser	1
23.	California Space Institute MS-A021 Scripps Institution of Oceanography La Jolla, CA 92093	
	Dr. Robert L. Bernstein	1
24.	Marine Sciences Research Center State University of New York Stony Brook, NY 11794	
	Dr. Dong-Ping Wang	1
25.	Applied Physics Laboratory Johns Hopkins University Laurel, MD 20707	
	Dr. Jack Calman	1
26.	Pacific Marine Environmental Lab NOAA Bldg. 3 7600 Sand Point Way, NE Seattle, WA 98115	
	Mr. James R. Holbrook	1
27.	Defense Technical Information Center Cameron Station Alexandria, VA 22314	2
28.	Dudley Knox Library Code 0142 Naval Postgraduate School Monterey. CA 93943	2

# END

# FILMED

7-85

DTIC